



CORD KING M18-20

BAR SAW FIREWOOD PROCESSOR



4-Way Wedge



6-Way Wedge



6-Way Wedge with Platform

STANDARD EQUIPMENT:

- 35 HP Briggs and Stratton Vanguard Twin Gas Powered Motor (with 3-year warranty)
- Hydraulic-driven 404 harvester bar and chain with pressure relief system
- 24-ton Splitter
- Available with standard 2-leg manual folding live deck (6') or 2-leg log lifting system with double 2" hydraulic cylinders
- Firewood Cleanout Grate
- 10-gallon fuel tank

OPTIONAL EQUIPMENT:

- Hydraulic Folding Log Deck
- Extended infeed conveyor (to 16') with tandem axle
- 16' to 40' standalone offloading conveyor (radial stacking)
- 12' or 16' integrated offloading conveyor
- Turbo split with Hydraulic Oil Cooler

PERFORMANCE:

- Production Rate: up to 1.5-2 full cords/hr
- Maximum Log Size: 20" diameter x 20' length
- Transport Dimensions: 7' wide, 23' long, 12'-8" high, 5,800 lbs





CORD KING M18-20R

BAR SAW FIREWOOD PROCESSOR



6-Way Star Wedge



7-Way Repeater Wedge



16-Way Multi Wedge

STANDARD EQUIPMENT:

- 35 HP Briggs and Stratton Vanguard Twin Gas Powered Motor (with 3-year warranty)
- Hydraulic-driven 404 harvester bar and chain with pressure relief system
- 29-ton Splitter
- Available with standard 2-leg manual folding live deck (6') or 2-leg log lifting system with double 2" hydraulic cylinders
- Firewood Cleanout Grate
- 10-gallon fuel tank

OPTIONAL EQUIPMENT:

- Hydraulic Folding Log Deck
- Extended infeed conveyor (to 16') with tandem axle
- 16' to 40' standalone offloading conveyor (radial stacking)
- 12' or 16' integrated offloading conveyor
- Turbo split with Hydraulic Oil Cooler

PERFORMANCE:

- Production Rate: up to 1.5-2 full cords/hr
- Maximum Log Size: 20" diameter x 20' length
- Transport Dimensions: 7' wide, 23' long, 12'-8" high, 5,800 lbs





CORD KING M18-20RTS

BAR SAW FIREWOOD PROCESSOR



6-Way Star Wedge



7-Way Repeater Wedge



16-Way Multi Wedge

STANDARD EQUIPMENT:

- 35 HP Briggs and Stratton Vanguard Twin Gas Powered Motor (with 3-year warranty)
- 34-ton Splitter
- Available with standard 2-leg manual folding live deck (6') or 2-leg log lifting system with double 2" hydraulic cylinders
- Firewood Cleanout Grate
- 10-gallon fuel tank
- Turbo split with Hydraulic Oil Cooler
- Hydraulic-driven 404 harvester bar and chain with pressure relief system

OPTIONAL EQUIPMENT:

- Hydraulic Folding Log Deck
- Extended infeed conveyor (to 16') with tandem axle
- 16' to 40' standalone offloading conveyor (radial stacking)
- 12' or 16' integrated offloading conveyor

PERFORMANCE:

- Production Rate: up to 2 full cords/hr
- Maximum Log Size: 20" diameter x 20' length
- Transport Dimensions: 7' wide, 23' long, 12'-8" high, 5,800 lbs

